Securitron[®] M32, M62, M82 Magnalock[®] Accessories

ASB Aluminum Spacer Bracket

- Use when a blade stop requires the Magnalock to be lowered
- Comes pre-drilled for the mounting bolts and wire
- Provides a blind nut for surface installation of strike
- Available in clear aluminum or black anodized
- MagnaCare® lifetime replacement, no fault, no questions asked warranty





Part Number | Description

ASB-32BK	Alum Frame Spacer Bracket - M32, Black Anodized
ASB-32CL	Alum Frame Spacer Bracket - M32, Clear Anodized
ASB-62BK	Alum Frame Spacer Bracket - M62, Black Anodized
ASB-62CL	Alum Frame Spacer Bracket - M62, Clear Anodized

Part Number | Description

ASB-82BK2

Alum Frame Spacer Bracket
- M82, Black Anodized

ASB-82CL


Alum Frame Spacer Bracket
- M82, Clear Anodized

ASCWB-DM62CL Alum 1 -1/2" Spacer - Concrete/ Wood Bracket, DM62, Clear

CWB Concrete Wood Bracket

- Used on wood or concrete filled metal frames
- Provides a concealed wire chamber
- Available in clear aluminum or black anodized
- MagnaCare® lifetime replacement, no fault, no questions asked warranty







Part Number | Description

CWB-32BK	Concrete/Wood Bracket - M32, Black Anodized
CWB-32CL	Concrete/Wood Bracket - M32, Clear Anodized
CWR-62RK	Concrete/Wood Bracket - M62 Black Anodizedr

Part Number | Description

CWB-62CL	Concrete/Wood Bracket - M62, Clear Anodized
CWB-82BK	Concrete/Wood Bracket - M82, Black Anodized
CWB-82CL	Concrete/Wood Bracket - M82, Clear Anodized

Securitron M32/62/82 Magnalock Accessories continued

AOS Offset Strike Plate

- Alters the position of the mounting hole by 1/4" [6mm]. This is often required to clear the glass on aluminum frame store front doors
- Includes Offset Strike Plate only
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

AOS-62	Strike Plate - M62, Offset
AOS-62D	Strike Plate - M62D, Offset
AOS-82	Strike Plate - M82, Offset

ASS Split Strike/ Replacement Strike Plate

- Allows a single M32, M62 or M82
 Magnalock to secure a double door at traffic control holding force level
- Includes Split Strike Plates only
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description


ASS-32	Strike Plate M32 - Split Set w/ Fasteners & Sex Bolt
ASS-62	Strike Plate M62 - Split Set w/ Fasteners & Sex Bolt
ASS-82	Strike Plate M82 - Split Set w/Fasteners & Sex Bolt

ZA Z Bracket Kits

- Adjustable

- Use on in-swing doors with Magnalock "F" options (8-1/2" overall length)
- Provides 1-1/4" of lateral movement to accommodate most openings and allows for precision adjustments (2-1/4" to 3-1/2" from door/header)
- Includes an oversized dress cover
- MagnaCare® lifetime replacement, no fault, no questions asked warranty







Part Number | Description

ZA-32/62BK Adjustable Z-Bracket - M32/62, Black Anodized
ZA-32/62CL Adjustable Z-Bracket - M32/62, Clear Anodized
ZA-32/62SS Adjustable Z-Bracket - M32/62, Satin Stainless

Part Number | Description

ZA-82BK	Adjustable Z-Bracket - M82, Black Anodized
ZA-82CL	Adjustable Z-Bracket - M82, Clear Anodized
ZA-82SS	Adjustable Z-Bracket - M82, Satin Stainless


Securitron M32/62/82 Magnalock® Accessories

EASB Energy Absorbing Sex Bolt

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare® lifetime replacement, no fault, no questions asked warranty





Part Number | Description

EASB-250 Energy Absorbing Bolt - 1/4" Spacer Kit

EASB-32 Energy Absorbing Sex Bolt - Model 32

Part Number | Description

EASB-62 Energy Absorbing Sex Bolt - Model 62

EASB-82 Energy Absorbing Sex Bolt - Model 82

TDK-1 Accessory for Thick Doors

- Provides replacement screws so armature plates for the M32, M62, M82, M38 and M68 can be used on doors thicker than 1-3/4", and up to 3"
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

TDK-1 Thick Door Kit

SB-1 Sex Bolt Replacement

- Replaces armature plate sex bolt for M32, M38, M62, M68, and M82B Magnalocks
- Available in clear, polished brass or oil rubbed bronze finish
- MagnaCare® lifetime replacement, no fault, no questions asked warrantyy



Part Number | Description

SB-1	Sex Bolt - Replacement, Clear
SB-1-03	Sex Bolt - Replacement, Polished Brass
SB-1-10B	Sex Bolt - Replacement, Oil-Rubbed Bronze



Securitron M32/62/82 Magnalock Accessories continued

DC Dress Covers

- Use with M32, M62, and M82
- Install using foam adhesive tape
- Available in clear, black, polished stainless and polished brass finish
- MMagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description DC-32BK DC - M32, Black Anodized DC-32BP DC - M32, Brass Polished DC-32CL DC - M32, Clear Anodized DC-32SP DC - M32, Stainless Polished DC-62BK DC - M62, Black Anodized DC-62BP DC - M62, Brass Polished

Part Number Description			
DC-62CL	DC - M62, Clear Anodized		
DC-62SP	DC - M62, Stainless Polished		
DC-82BK	DC - M82, Black Anodized		
DC-82BP	DC - M82, Brass Polished		
DC-82CL	DC - M82, Clear Anodized		
DC-82SP	DC - M82, Stainless Polished		

DDC Double Dress Covers

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Nui	mber Description
DC-32BK	DC - M32, Black Anodized
DC-32BP	DC - M32, Brass Polished
DC-32CL	DC - M32, Clear Anodized
DC-32SP	DC - M32, Stainless Polished




Securitron M32/62/82 Magnalock® Accessories

HHD / HHSL / HHSR / HVD

Full Length Housings

- Vertical or horizontal configurations
- Fit one or two locks (not included)
- (SLR) Single Left Hand Reverse
- (SRR) Single Right Hand Reverse
- MagnaCare® lifetime replacement, no fault, no questions asked warranty





Part Number | Description

	• •
HHD-32	Lock Housing for M32 - Dbl. Horizontal
HHD-62	Lock Housing for M62 - Dbl. Horizontal
HHD-82	Lock Housing for M82 - Dbl. Horizontal
HHSL-32	Lock Housing for M32 - SLR Horizontal
HHSL-62	Lock Housing for M62 - SLR Horizontal

Part Number | Description

HHSR-32	Lock Housing for M32 - SRR Horizontal
HHSR-62	Lock Housing for M62 - SRR Horizontal
HVD-32	Lock Housing for M32 - Dbl. Vertical
HVD-62	Lock Housing for M62 - Dbl. Vertical
HVD-82	Lock Housing for M82 - Dbl. Vertical

Model	Α	В	C	Max Length*
HHD-32	1.75"	2.1"	2.35"	96"
HHD-62	2.1"	2.6"	3.5"	96"
HHD-82	2.1"	2.6"	3.5"	96"
HHSL-32	1.75"	2.1"	2.35"	48"
HHSL-62	2.1"	2.6"	3.5"	48"
HHSR-32	1.75"	2.1"	2.35"	48"
HHSR-62	2.1"	2.6"	3.5"	48"
HVD-32	1.75"	2.1"	2.35"	96"
HVD-62	2.1"	2.6"	3.5"	96"
HVD-82	2.1"	2.6"	3.5"	96"

^{*}Full length housings are individually manufactured to custom specifications up to the maximum length shown.

How to Order Specify quantity and the following information. Order related products separately.



Model Series	Mounting Method	Monitoring Options Specify Length
HHD	-32	(83")
HHD	32	HHD Max Length 96"
HHSL	62	HHD Max Length 96"
HHSR	82	HHSR Max Length 48"
HVD		HVD Max Length 96"