

Declaration of Performance

DoP No. A001DoP

1. Product Type: Hinge
2. Identification: CB1960R Series
3. Intended Use:

| | |
|--------------|--|
| Intended Use | Severe duty, smoke and fire, pedestrian access doors, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer. |
|--------------|--|

4. Manufacturer:

| | |
|-----------------------|----------------------------------|
| Registered Trade Name | Address |
| STANLEY | Stanley Security Solutions, Inc. |
| | 6161 E 75th Street |
| | Indianapolis, IN 46250 USA |

5. EU Authorized Representative:

| | |
|----------------|---|
| Name | Address |
| Bruce Ginnever | Stanley Security Solutions Europe LTD, Bramble Road, Swindon, Wiltshire, SN2 8ER United Kingdom |

6. System of Assessment: System 1

7. Harmonized Standard & Notified Body:

| Test Performed | Applied Standards | Test Agency | Notified Body No. |
|----------------|---------------------|------------------|-------------------|
| EMC | N/A | N/A | N/A |
| Safety | N/A | N/A | N/A |
| R&TTE | N/A | N/A | N/A |
| RoHS | N/A | N/A | N/A |
| Performance | EN 1935:2002/AC2003 | Exova Warrington | 1104 |


8. European Technical Assessment: N/A

9. Declared Performance:

| Essential Characteristics | Performance | Performance Description | Harmonized Technical Specification |
|---------------------------|-------------|---|------------------------------------|
| Category of use | 4 | Severe Duty: For use on doors which are subject to frequent violent usage | EN 1935:2002/AC2003 |
| Durability test cycles | 7 | 200 000 cycles | |
| Test door mass | 6 | Maximum 120kg | |
| Fire/Smoke suitability | 1 | Suitable to be used on fire/smoke resistant doors | |
| Safety | 1 | Only 1 grade; grade 1 | |
| Corrosion resistance | 4 | Very high resistance; 240h | |
| Security | 0 | | |
| Hinge grade | 13 | | |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This Declaration of Performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

| | |
|--|---|
| Location: 6161 E 75 th St. Indianapolis, IN 46250 USA | Name: Robert Strong  |
| Date: 28-May-2014 | Title: Compliance Manager |



Technical Information:

| |
|---|
| HINGE_CERT_CE_BTC15425F_IFC_1634-1_2000.PDF |
| HINGE_CERT_CE_157050_WARRINGTON_1935_2002.PDF |
| HINGE_CERT_CE_157049_WARRINGTON_1935_2002.PDF |
| HINGE_CERT_CE_CERTIFICATE_OF_CONFORMITY_IFC_1720-CPD-0020.PDF |
| HINGE_CERT_CE_TECHNICAL_EXPERT_PROJECT_PLAN.PDF |